THEOCHEM, VOLUME 66 (1990)

(*Journal of Molecular Structure, Vol. 207*)

AUTHOR INDEX

Batista de Carvalho, L.A.E, 67
Bencivenni, L., 169
Bénière, F., 41, 53
Brunvoll, J., 131

Corish, J., 41, 53
Cui, Y.-P., 319, 327
Cyvin, B.N., 131
Cyvin, S.J., 131

D'Alessio, L., 169
de Decker, M., 115
Deeb, O., 1

Eberlin, M.N., 143
Enriz, R.D., 269
Epiotis, N.D., 225

Fausto, R., 67
Flora, L.S., 15

Geerlings, P., 115
Gey, E., 95
Godin, E., 23
Goldblum, A., 1

Ha, T.-K., 95
Hanratty, V.C.A, 41, 53
Hernández-Laguna, A., 157
Hu, W.-J., 319, 327

Jankowski, K., 23
Jauregui, E.A., 269

Kapuy, E., 259
Kascheres, C., 143
Kikuchi, O., 103
Kim, K.C., 293
Knop, J.V., 131
Kozaki, T., 103
Kozmutza, C., 259

Lane, P., 177, 193
Langenaeker, W., 115
Lee, S.L., 301
Leroy, G., 85
Li, F.-Y., 301
Loew, G.H., 1

Margrita, J.-P., 53
Morin, A., 41, 53
Morton-Blake, D.A., 41, 53
Mulford, R.N., 293
Müller, W.R., 131
Murray, J.S., 177, 193

Natsui, T., 103

Ozoróczy, Zs., 259

Politzer, P., 177, 193

Raeymaekers, P., 115
Ramondo, F., 169
Rández, F.J., 157
Rández, J.J., 157
Redfern, P.C., 177

Sana, M., 85
Seminario, J.M., 193
Skancke, A., 201
Skancke, P.N., 201
Smeyers, Y.G., 157
Söler, F., 23
Stojmenović, I., 285
Stymanski, K., 131

Takahata, Y., 143
Tang, T.-H., 319, 327
Teixeira-Dias, J.J.C, 67
Toro-Labbé, A., 247
Tošić, R., 285
Trinajstić, N., 131
Turkkan, N., 23

Wilante, C., 85
Willer, R.L., 177

Yan, D.-Y., 319, 327
Yates, P.C., 15

Zhang, Y., 217

THEOCHEM, VOLUME 66 (1990)

(Journal of Molecular Structure, Vol. 207)

SUBJECT INDEX

Acetylene
Ab initio quantum chemical investigations on the C/H species for modelling the thermal conversion of acetylene, 95

Actinide (U, Np, Pu, Am) hexafluorides
Vibrational properties of actinide (U, Np, Pu, Am) hexafluoride molecules, 293

Alanine
MNDO effective charge model study of conformations of zwitterionic and neutral forms of glycine, alanine and serine in the gas phase and in solution, 103

AM1 in structural analyses
The use of AM1 in structural analyses of primary and secondary enaminones, 143

Anti-viral agents
Molecular orbital calculations on anti-viral agents, 15

Atom equivalents
A scheme of atom equivalents for relating ab initio energies to heats of formation, 217

Atomistic simulation calculations
Atomistic simulation calculations on the structures of conducting polymers. Part I. Pristine polyacetylene and polyparaphenylene, 41

Atomistic simulation investigations
Atomistic simulation investigations of the structures of conducting polymers. Part II. Doped polyacetylene and polyparaphenylene, 53

Aza nitrogens
Anomalous energy effects associated with the presence of aza nitrogens and nitro substituents in some strained systems, 193

Benzenoid chains
Benzenoid chains with the unique Clar formula, 285

Bridging hydroxyls
Quantum-chemical study of the Fukui function as a reactivity index: probing the acidity of bridging hydroxyls in zeolite-type model systems, 115

$C_2H_4 + HO_2$
Ab initio studies of parts of the potential surface for the system $C_2H_4 + HO_2$, 201

CH_2O–NH_3 system
The structure of the CH_2O–NH_3 system. Part II. Effect of the basis-set superposition, 259

Clar formula
Benzenoid chains with the unique Clar formula, 285

Complexation
Study of complexation of t-RNA by *cis* platinum, 23

Conducting polymers
Atomistic simulation calculations on the structures of conducting polymers. Part I. Pristine polyacetylene and polyparaphenylene, 41
Atomistic simulation investigations of the structures of conducting polymers. Part II. Doped polyacetylene and polyparaphenylene, 53

Coronoid hydrocarbons
Enumeration and classification of coronoid hydrocarbons: note to a note, 131

CXS–CXS (X = H,F) series
Theoretical analysis of torsional potential functions. Application to the CXS–CXS (X = H,F) series of molecules, 247

Cyclobutene ring opening
Why do fluorines rotate "outside" in conrotatory cyclobutene ring opening?, 225

Dihalides
Bonding in and spectroscopic properties of

gaseous triatomic molecules. Part II. Group 2b metal dihalides, 169

Enaminones
The use of AM1 in structural analyses of primary and secondary enaminones, 143

Fluorines
Why do fluorines rotate "outside" in conrotatory cyclobutene ring opening?, 225
Fukui function
Quantum-chemical study of the Fukui function as a reactivity index: probing the acidity of bridging hydroxyls in zeolite-type model systems, 115

Gas-phase basicity
A charge density topological approach on the equilibrium gas-phase basicity of selected nitrogen-containing organic molecules, 327
Glycine
MNDO effective charge model study of conformations of zwitterionic and neutral forms of glycine, alanine and serine in the gas phase and in solution, 103
Graph spectral theory
Net sign approach in graph spectral theory, 301

Heats of formation
A scheme of atom equivalents for relating ab initio energies to heats of formation, 217
Histamine
Comparative structural study of histamine and its 4-substituted derivatives, 157
Histamine H2-receptor antagonists
Study of the configurational isomerism of polar groups present in histamine H2-receptor antagonists, 269
Hydrogen bonding
Semiempirical MNDO/H calculations of opiates. Part 1. Building blocks: conformations of piperidine derivatives and the effect of hydrogen bonding, 1
Hydrogen-bonded systems
A quantum chemical study on selected π-type hydrogen-bonded systems, 319

Imidazolidine
A computational study of structural and reactive properties of imidazolidine, piperazine, and their *N,N*-dinitro derivatives, 177

MNDO effective charge model
MNDO effective charge model study of conformations of zwitterionic and neutral forms of glycine, alanine and serine in the gas phase and in solution, 103
MNDO/H calculations
Semiempirical MNDO/H calculations of opiates. Part 1. Building blocks: conformations of piperidine derivatives and the effect of hydrogen bonding, 1
Molecular orbital calculations
Molecular orbital calculations on anti-viral agents, 15

Nitrogen centred radicals
Theoretical investigation of a new class of persistent nitrogen centred radicals, 85

Opiates
Semiempirical MNDO/H calculations of opiates. Part 1. Building blocks: conformations of piperidine derivatives and the effect of hydrogen bonding, 1
Organic molecules
A charge density topological approach on the equilibrium gas-phase basicity of selected nitrogen-containing organic molecules, 327

Piperazine
A computational study of structural and reactive properties of imidazolidine, piperazine, and their *N,N*-dinitro derivatives, 177
Piperidine
Semiempirical MNDO/H calculations of opiates. Part 1. Building blocks: conformations of piperidine derivatives and the effect of hydrogen bonding, 1
Platinum
Study of complexation of t-RNA by *cis* platinum, 23
Polyacetylene
Atomistic simulation calculations on the structures of conducting polymers. Part I.

Pristine polyacetylene and polyparaphenylene, 41
Atomistic simulation investigations of the structures of conducting polymers. Part II. Doped polyacetylene and polyparaphenylene, 53
Polyparaphenylene
Atomistic simulation calculations on the structures of conducting polymers. Part I. Pristine polyacetylene and polyparaphenylene, 41
Atomistic simulation investigations of the structures of conducting polymers. Part II. Doped polyacetylene and polyparaphenylene, 53

Quantum chemical investigations
Ab initio quantum chemical investigations on the C/H species for modelling the thermal conversion of acetylene, 95
Quantum-chemical study
Quantum-chemical study of the Fukui function as a reactivity index: probing the acidity of bridging hydroxyls in zeolite-type model systems, 115

Serine
MNDO effective charge model study of conformations of zwitterionic and neutral forms of glycine, alanine and serine in the gas phase and in solution, 103
Strained systems
Anomalous energy effects associated with the presence of aza nitrogens and nitro substituents in some strained systems, 193

t-RNA
Study of complexation of t-RNA by *cis* platinum, 23
Thermal conversion
Ab initio quantum chemical investigations on the C/H species for modelling the thermal conversion of acetylene, 95
Thioacetic acid
Molecular structure and properties of thioacetic acid, 67
Triatomic molecules
Bonding in and spectroscopic properties of gaseous triatomic molecules. Part II. Group 2b metal dihalides, 169

Zeolite
Quantum-chemical study of the Fukui function as a reactivity index: probing the acidity of bridging hydroxyls in zeolite-type model systems, 115
Zwitterions
MNDO effective charge model study of conformations of zwitterionic and neutral forms of glycine, alanine and serine in the gas phase and in solution, 103